


LPJ-003 MINI PROJECTOR USER MANUAL

SPECIFICATIONS

Parameter	Specifications	Unit
LCD Resolution	640 x 480 (VGA)	pixels
Contrast Ratio	100 : 1	
Screen Size	20 ~ 50	inch
Projection Distance	0.3 ~ 2	m
Lighting Source	3W LED Lamp	
Brightness	15	lumen
Video Input	USB cable	
OS Support	Windows 2000/XP/Vista	
System Requirement	Intel Atom 1.6GHz above	
	20MB Free HDD	
	USB 2.0 Interface	
Size	62.3 x 38.2 x 61.7	mm
Weight	143	g

CONNECTIONS



INSTALLATION



1. Attach a standard tripod to the screw hole on the projector.
2. Adjust the tripod to a suitable height.

ATTENTIONS

1. Please read this manual carefully before using it. If you have any question, please contact us or our distributor.
2. Please use good power cord cable provided by our company and power supply socket with grounding to ensure the power supply stably.
3. Please shut off the switch and unplug the wire if the projector will not be used for a long time.
4. Do not block the projector's cooling vents and this may cause damage to the body by overheating.
5. This product has no waterproof function. In order to prevent electric shock, please prevent it from rain and dampness.
6. If the projector is found to be damaged, please do not dismantle it without authorization. Please contact technological personnel or the distributor; otherwise our company bears no responsibility for free maintenance service.
7. Do not look at the light source of the projector so as to avoid hurting your eyes.
8. Please timely allow your eyes to rest when watching projection images for a long time.
9. This product is recommended for best viewing size of 30 inches and the best viewing environment is a little dark indoor.
10. Remember to delete current driver software when upgrading new version driver software.

PACKAGE CONTENTS

User manual 、 USB cable 、 Tripod

DRIVER INSTALL GUIDE



This document describes the procedure for installing the projector driver.

Save the driver program to the hard disk.


Run the installer by double clicking on the UVInstall_v1.24 icon.




Click “I Agree” to proceed with the installation and follow the instructions on screen.



When the installation is completed, reboot the computer.



When the computer has rebooted, activate the software by double clicking on UVTool icon on your desktop.



Plug the projector into USB port via the cable.

The projector can be enabled to display your computer screen.